

	Hits	Search Text	DBs
1	2210	activ\$6 with (components near3 necessary)	US-PGPUB; USPAT
2	85	(activ\$6 with (components near3 necessary)) and ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
3	8	(activ\$6 with (components near3 necessary)) and (713/3\$3)	US-PGPUB; USPAT
4	71	(activ\$6 near3 necessary) same ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
5	25	(activ\$6 near3 necessary) with ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
6	39	(determin\$6 near3 necessary) with ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
7	64	(determin\$6 near3 required) with ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
8	2133	(components near3 (required or necessary)) and ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
9	19	"5978923".URPN.	USPAT
10	1527	selectively with power with components	US-PGPUB; USPAT
11	15	selectively adj power adj components	US-PGPUB; USPAT
12	143	selectively adj3 power adj3 components	US-PGPUB; USPAT
13	2	selectively adj power adj units	US-PGPUB; USPAT
14	19	(selectively adj3 power adj3 components) same ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
15	54	(selectively adj3 power adj3 components) and ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
16	19	(selectively adj3 power adj3 components) same (request or instruction or command)	US-PGPUB; USPAT
17	117	"4747041".URPN.	USPAT
18	3	(selectively adj3 wak\$3) same (request or instruction or command)	US-PGPUB; USPAT
19	70	(determin\$6 near3 need\$2) with ((power or sleep) adj2 (mode or state))	US-PGPUB; USPAT
20	735	selectively with power with need\$2	US-PGPUB; USPAT

	Hits	Search Text	DBs
33	28	(determin\$6 near3 (necessary or need\$2 or required or appropriate) near2 (units or components or peripherals or devices)) same ((request or instruction or command) with (receiv\$4 or execut\$3 or process\$3)) same (wak\$3 or power)	US-PGPUB; USPAT
34	389	(dynamic\$6 near3 (necessary or need\$2 or required or appropriate) near2 (units or components or peripherals or devices))	US-PGPUB; USPAT
35	17	(dynamic\$6 near3 (necessary or need\$2 or required or appropriate) near2 (units or components or peripherals or devices)) with (power or activ\$5)	US-PGPUB; USPAT
36	270	receiv\$5 with request\$3 with ((power or sleep) adj (mode or state))	US-PGPUB; USPAT
37	25	(receiv\$5 with request\$3 with ((power or sleep) adj (mode or state))) same remote	US-PGPUB; USPAT
38	8	(receiv\$5 with request\$3 with ((power or sleep) adj (mode or state))) same server	US-PGPUB; USPAT
39	13	("5086385"   "5156203"   "5305952"   "5682949"   "5900026"   "5962989"   "6260111"   "6263260"   "6297746"   "6348867"   "6349883"   "6408395"   "6642843"   "2003/0171851").PN.	USPAT
40	190	(respon\$5 with request\$3 with ((power or sleep) adj (mode or state)))	US-PGPUB; USPAT
41	36	(respon\$5 with request\$3 with ((power or sleep) adj (mode or state))) with computer	US-PGPUB; USPAT
42	81	(respon\$5 with request\$3 with ((power or sleep) adj (mode or state))) and 713/3\$2	US-PGPUB; USPAT
43	28	(respon\$5 with request\$3 with ((power or sleep) adj (mode or state))) same network	US-PGPUB; USPAT
44	47	(network with request\$3 with ((power or sleep) adj (mode or state)))	US-PGPUB; USPAT
45	37	(network with remote with ((power or sleep) adj (mode or state)))	US-PGPUB; USPAT

	Hits	Search Text	DBs
46	7	(network with remote with ((power or sleep) adj (mode or state))) and authenticat\$5	US-PGPUB; USPAT
47	2531	(respon\$5 with request\$3 with network) with computer	US-PGPUB; USPAT
48	10	(wak\$5 with request\$3 with ((power or sleep) adj (mode or state))) same network	US-PGPUB; USPAT
49	0	(activ\$6 with (components near3 necessary)) and ((power or sleep) adj2 (mode or state))	EPO; JPO
50	0	(determin\$6 near3 required) with ((power or sleep) adj2 (mode or state))	EPO; JPO
51	4	selectively adj3 power adj3 components	EPO; JPO
52	0	selectively near3 power near3 need\$2	EPO; JPO
53	9	(dynamic\$6 near3 (necessary or need\$2 or required or appropriate) near2 (units or components or peripherals or devices))	EPO; JPO
54	43	selectively with power with need\$2	EPO; JPO
55	10	(respon\$5 with request\$3 with ((power or sleep) adj (mode or state)))	EPO; JPO
56	13	("4969830" "5065321" "5185700" "5600800" "5625673" "5634080" "5664228" "5666530" "5802124" "5894425" "5928329" "6088730" "6125369").pn.	US-PGPUB; USPAT
57	1	"9845957"	EPO
58	31	bezos.in. and angel.in.	US-PGPUB; USPAT
59	775	wireless\$3 with ((sav\$3 or retriev\$3) near2 data)	US-PGPUB; USPAT
60	0	(wireless\$3 with ((sav\$3 or retriev\$3) near2 data)) same (power adj (mode or state))	US-PGPUB; USPAT
61	0	(wireless\$3 same ((sav\$3 or retriev\$3) near2 data)) same (power adj (mode or state))	US-PGPUB; USPAT
62	2	(wireless\$3 same ((sav\$3 or retriev\$3) near2 data)) same (sleep\$3 adj (mode or state))	US-PGPUB; USPAT
63	1	(wireless\$3 same ((sav\$3 or retriev\$3) near2 data)) same wak\$3	US-PGPUB; USPAT

	Hits	Search Text	DBs
64	9	((sav\$3 or retriev\$3) near2 data) with wak\$3 with ((power or sleep\$3) adj2 (mode or state))	US-PGPUB; USPAT
65	2	(selectively adj3 power adj3 components) with (wireless)	US-PGPUB; USPAT
66	21	wireless\$3 with ((sav\$3 or retriev\$3) near2 data)	EPO; JPO
67	0	(wireless\$3 same ((sav\$3 or retriev\$3) near2 data)) same (sleep\$3 adj (mode or state))	EPO; JPO
68	0	((sav\$3 or retriev\$3) near2 data) with wak\$3 with ((power or sleep\$3) adj2 (mode or state))	EPO; JPO
69	1	((sav\$3 or retriev\$3) near2 data) and wak\$3 and ((power or sleep\$3) adj2 (mode or state))	EPO; JPO
70	17	(remote\$4 same ((sav\$3 or retriev\$3) near2 data)) same (sleep\$3 adj (mode or state))	US-PGPUB; USPAT
71	66	(power\$3 with ((sav\$3 or retriev\$3) near2 data)) same (sleep\$3 adj (mode or state))	US-PGPUB; USPAT
72	90	((synchroniz\$5 near2 data)) same ((sleep\$3 or power) adj2 (mode or state))	US-PGPUB; USPAT
73	19	((synchroniz\$5 near2 data)) with ((sleep\$3 or power) adj2 (mode or state))	US-PGPUB; USPAT
74	18	((power\$3 or enabl\$3 or activat\$6) near2 (disk or drive)) with ((cpu or processor) near2 (sleep\$3 or off))	US-PGPUB; USPAT
75	1	((power\$3 or enabl\$3 or activat\$6) near2 (disk or drive)) with ((cpu or processor) near2 (power adj (mode or state)))	US-PGPUB; USPAT
76	0	(selectively adj3 power adj3 components) with ((cpu or processor) adj2 ((sleep\$3 or power) adj (mode or state)))	US-PGPUB; USPAT
77	4	(selectively adj3 power) with ((cpu or processor) adj2 ((sleep\$3 or power) adj (mode or state)))	US-PGPUB; USPAT
78	10	(selectively adj3 power) with ((cpu or processor) with ((sleep\$3 or power) adj (mode or state)))	US-PGPUB; USPAT

	Hits	Search Text	DBs
94	1	((during adj3 (mode or state)) with ((access\$3 or retriev\$5 or sav\$3 or stor\$5) near data) with (disk or drive))	EPO; JPO